

FIG. 1C PRIOR ART




FIG. 2 PRIOR ART




FIG. 3




FIG. 4A






FIG. 4B











FIG. 8












FIG. 9B





FIG. 9C






FIG. 10B

FIG. 10B

SREAD TFT

D

100

REFRESH

TFT

210

A

120

FIG. 11A









FIG. 11B



















FIG. 15B











FIG. 18










FIG. 21




FIG. 22




FIG. 23






FIG. 24





 $Vr_G \ge V_D - V_{FB}$


FIG. 28





Vrg < VD - VFB












Vo-VFB

(Vrg < VD -VFB)

Vo








FIG. 32













FIG. 34


















FIG. 40











FIG. 42












FIG. 45













FIG. 48














Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 0 660 421 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 05.11.1997 Bulletin 1997/45

(51) Int. Cl.⁶: H01L 27/146, H04N 1/031

(43) Date of publication A2: 28.06.1995 Bulletin 1995/26

(21) Application number: 94120730.0

(22) Date of filing: 27.12.1994

(84) Designated Contracting States: DE FR GB IT NL

(30) Priority: 27.12.1993 JP 331690/93 22.08.1994 JP 196640/94 22.08.1994 JP 196641/94 22.08.1994 JP 196642/94 22.08.1994 JP 196643/94 22.08.1994 JP 196644/94 22.08.1994 JP 196648/94 22.08.1994 JP 196670/94 16.12.1994 JP 313392/94

(71) Applicant:
CANON KABUSHIKI KAISHA
Tokyo (JP)


(72) Inventors:

Kaifu, Noriyuki,
 c/o Canon Kabushiki Kaisha
 Ohta-ku, Tokyo 146 (JP)

- Mizutani, Hidemasa,
 c/o Canon Kabushiki Kaisha
 Ohta-ku, Tokyo 146 (JP)
- Takeda, Shinichi,
 c/o Canon Kabushiki Kaisha
 Ohta-ku, Tokyo 146 (JP)
- Kobayashi, Isao, c/o Canon Kabushiki Kaisha Ohta-ku, Tokyo 146 (JP)
- Itabashi, Satoshi,
 c/o Canon Kabushiki Kaisha
 Ohta-ku, Tokyo 146 (JP)
- (74) Representative:
 Pellmann, Hans-Bernd, Dipl.-Ing. et al
 Patentanwaltsbüro
 Tiedtke-Bühling-Kinne & Partner
 Bavariaring 4
 80336 München (DE)

(54) Photoelectric converter, its driving method, and system including the photoelectric converter

(57) A photoelectric converter of a high signal-tonoise ratio, low cost, high productivity and stable characteristics and a system including the above photoelectric converter. The photoelectric converter includes a
photoelectric converting portion 100 in which a first
electrode layer 2, an insulating layer 70 for inhibiting
carriers from transferring, a photoelectric converting
semiconductor layer 4 of a non-single-crystal type, an
injection blocking layer 5 for inhibiting a first type of carriers from being injected into the semiconductor layer
and a second electrode layer 6 are laminated in this
order on an insulating substrate 1.





EUROPEAN SEARCH REPORT

Application Number EP 94 12 0730

	Charle C		ANT	
Category	Citation of document with of relevant p	indication, where appropriate, assages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CL6)
X	1986	JMURA FUJIO) 11 March	1,3-5,7, 8,10, 17-21, 27,30	H01L27/146 H04N1/031
	* column 3, line 4 * column 5, line 7	- column 2 line 11		
A			34	
x	July 1993 * abstract; figure: * column 1, line 52 * column 5, line 17	RGER JEAN L ET AL) 6 1,3,4 * 2 - column 2, line 19 3 - column 6, line 22	1,2,4,5, 27,34 *	
A	* claim 7 *		25,26,35	
A	EP 0 296 603 A (CAN	 ION KK) 28 December 19		TECHNICAL FIELDS SEARCHED (Int.Cl.6)
	* column 4, line 32 * column 6, line 44	5 - column 2, line 6 * 2 - line 45 * 4 - line 59 * 4 - column 10, line 9		H01L H04N
	The present search report has b	seen drawn up for all claims		
	Place of search	Date of completion of the search		B
	THE HAGUE	29 August 1997	Vic	scher, E
X : parti Y : parti docu A : tech	CATEGORY OF CITED DOCUME catarly relevant if taken alone catarly relevant if combined with an ment of the same category nological background written discourse	NTS T: theory or pri E: earlier paten ster the fills b: document cit L: document cit	nciple underlying the t document, but publi ag date ed in the application ed for other reasons	invention

EPO FORM 1503 02.82 (PO4CD1)



EUROPEAN SEARCH REPORT

Application Number EP 94 12 0730

Category	Citation of document with of relevant	indication, where appropriate,	Relevant to claim	CLASSIFICATION OF TH APPLICATION (Int.CL6)
A	ON SOLID STATE DEV TOKYO, JAPAN, 30 A 4-930813-04-2, 198 SOC. APPL. PHYS, J Pages 201-204, XPO OKUMURA F ET AL:	OF THE 15TH CONFERENCE ICES AND MATERIALS, UG1 SEPT. 1983, ISBN 3, TOKYO, JAPAN, JAPAN APAN, 02039214 "Amorphous Si:H linear ted by a-Si:H TFT array"	1,4,5,7, 8,10, 17-21	
A	1989	F JAPAN (P-936), 25 September (FUJITSU LTD), 23 June	1,6	
				TECHNICAL FIELDS SEARCHED (Int.Cl.6)
	The present county was to be her her her her her her her her her he			
	The present search report has b Place of search	Date of completion of the search		Examples
•	THE HAGUE	29 August 1997	Viss	cher, E
X : partic Y : partic docu	ATEGORY OF CITED DOCUME cularly relevant if taken alone cularly relevant if combined with an ment of the same category tological background	NTS T: theory or principle E: earlier patent door	underlying the k ument, but publis- te the application	rvention

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:				
☐ BLACK BORDERS				
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
FADED TEXT OR DRAWING				
BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
COLOR OR BLACK AND WHITE PHOTOGRAPHS				
☐ CRAY SCALE DOCUMENTS				
LINES OR MARKS ON ORIGINAL DOCUMENT				
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY				

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.